## **EAST Search History**

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	@ad<"20000120" and list with always near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:36
L2	26	@ad<"20000120" and list with server near (common or preferred or fixed or dedicated or static)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:38
L3	0	@ad<"20000120" and list with server with (common or preferred or fixed or dedicated or static) near display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:40
L4	0	@ad<"20000120" and list with server with (common or preferred or fixed or dedicated or static) near add	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:41
L5	7	@ad<"20000120" and server with (common or preferred or fixed or dedicated or static) near (add or append or prepend or always)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:41
L6	10	@ad<"20000120" and server with (always or common or preferred or fixed or dedicated or static) near (add or append or prepend)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:42
L7	35	@ad<"20000120" and server with (add or append or prepend) near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:48
L8	72	@ad<"20000120" and server with (add or append or prepend) near (list or table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:49
L9	0	@ad<"20000120" and random same server with (add or append or prepend) near list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:56

L10	0	@ad<"20000120" and random same address with (add or append or prepend) near (list or table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:59
L11	9	@ad<"20000120" and (add or append or prepend) near (list or table or database) same random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:11
L12	2	("6,578,066").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/03 11:36
L13	15	@ad<"20000120" and always near (list) same (server or entry or address) and server same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:50
L14	56	@ad<"20000120" and always near (list) same (server or entry or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:51
L15	5	@ad<"20000120" and always near (list) same (server or entry or address) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:51
L16	3	@ad<"20000120" and always near (include or add or contain) same list same (server or entry or address) and server same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:54
L17	25	@ad<"20000120" and always near (include or add or contain) same list same (server or entry or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:54
L18	43	@ad<"20000120" and always near (display or include or add or contain) same list and ("709"/\$. ccls. or "715"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 11:57
L19	9	@ad<"20000120" and always near (display or include or add or contain) same list same (server or address) and ("709"/\$. cds. or "715"/\$.cds.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:04

L20	2	@ad<"20000120" and randomly with insert with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:05
L21	0	@ad< "20000120" and randomly with insert with list same (server or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:06
L22	3	@ad< "20000120" and (random or randomly) near (insert or add or display) with list same (server or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:06
L23	0	@ad<"20000120" and (random or randomly) near (insert or add or display) with list same results	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:09
L24	213	@ad<"20000120" and (random or randomly) near (insert or add or display or include) with (list or results)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:12
L25	7	@ad<"20000120" and (random or randomly) near (insert or add or display or include) with (list or results) and "709"/ \$.cols.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:14
L26	0	@ad<"20000120" and (random or randomly) near (insert or add or display or include) with (list same results)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:15
L27	0	@ad<"20000120" and (random or randomly or always) near (insert or add or display or include) with (list same results)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:16
L28	7	@ad<"20000120" and (random or randomly or always) with (insert or add or display or include) with (list same results)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:16
L29	42	@ad<"20000120" and (random or randomly or always) same (insert or add or display or include) with (list same results)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:17

L30	169	@ad<"20000120" and results with display and (random or randomly) with (insert or add or display or include) same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:22
L31	24	@ad<"20000120" and results with display and (random or randomly) with (insert or add or display or include) same (address or link or server) same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:22
L32	5	@ad<"20000120" and results with display and (random or randomly) with (insert or add or display or include) same (address or link or server) same list and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:23
L33	29	@ad<"20000120" and search with results and (insert or add or display or include) with random same (address or link or server) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:25
L34	1	@ad<"20000120" and random with search with results and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:28
L35	12	@ad<"20000120" and (always) with search with results and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:28
L36	0	@ad<"20000120" and (always same random) with search with results and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:35
L37	0	@ad<"20000120" and (always same unrelated) with search with results and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:35
L38	2	@ad<"20000120" and (unrelated) with search with results and "709"/\$. cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/12/03 12:35

L39	798070	@ad<"20000120" and random with (reference or link) same unrelated server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:39
L40	0	@ad<"20000120" and random with (reference or link) same unrelated with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:39
L41	0	@ad<"20000120" and random with (reference or link) same unrelated same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:39
L42	0	@ad<"20000120" and random same (reference or link) same unrelated same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:40
L43	225	@ad<"20000120" and (include or add or append) with (rrandom or unrelated or independent) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:41
L44	614	@ad<"20000120" and (include or add or append) with (random or unrelated or independent) with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:41
L45	193	@ad<"20000120" and (include or add or append) with (random or unrelated or independent) with server and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:41
L46	9	@ad<"20000120" and (include or add or append) with (random or unrelated or independent) near server and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:41
L47	83	@ad<"20000120" and (include or add or append or list) with (random or unrelated or independent) near results	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:43
L48	37	@ad<"20000120" and (include or add or append or list) with (random or unrelated or independent) near search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/12/03 12:44

L49	260	@ad<"20000120" and random with unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:52
L50	1	@ad<"20000120" and random with unrelated with search	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:52
L51	270	@ad<"20000120" and search with result same probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:55
L52	116	@ad<"20000120" and search with result with probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:56
L53	30	@ad<"20000120" and search near result with probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:56
S1	2	("6078960").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/01 15:38
S2	21222446	@ad<"20000120"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:39
S3	228	johnson.in. near kirk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:39
S4	228	(johnson near kirk).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:40
S5	18830	709/219,226,223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:43

S6	0	@ad<"20000120" and (add or additional) near server with (list or table) same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:44
S7	0	@ad< "20000120" and (add or additional) with server with (list or table) same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:44
S8	7	@ad< "20000120" and (add or additional) with server\same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:44
S9	7	@ad< "20000120" and (add or additional) with server same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:44
S10	8952	@ad<"20000120" and list with servers and (supplemental or additional or extra) wiht server same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:53
S11	5	@ad<"20000120" and list with servers and (supplemental or additional or extra) with server same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 15:56
S12	2	("6108703").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/01 16:01
S13	0	@ad< "20000120" and (append or prepend) same server same unrelated	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 16:01
S14	147	@ad< "20000120" and list with servers same (static or preferred or dedicated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 16:16
S15	808	@ad< "20000120" and list with servers same (static or preferred or dedicated or specific)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 16:17

S16	79	@ad< "20000120" and list with servers same (preferred or dedicated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 16:17
S17	9	@ad< "20000120" and list near servers same (preferred or dedicated)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 16:51
S18	12	@ad< "20000120" and (add or append or include) with server near (fixed or dedicated or random) same (list or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 16:55
S19	5	@ad< "20000120" and (add or append or include) with random near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 17:03
S20	11	@ad<"20000120" and (add or append or include) near random near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 17:03
S21	0	@ad<"20000120" and (add or append or include) with list same random near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 17:04
S22	1214	@ad<"20000120" and (add or append or include) with list with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/01 17:05

## EAST Search History (Interference)

## 12/3/2009 1:08:16 PM

C:\ Documents and Settings\ bbruckart\ My Documents\ EAST\ Workspaces\ 09824527.wsp

<sup>&</sup>lt; This search history is empty>